

	Type	Hits	Search Text	DBs
1	BRS	4395	scanner and ((sca\$4 read\$3) adj (parameter\$1 condition\$1 set\$5))	US-PGPUB; USPAT; EPO; JPO
2	BRS	766	scanner and (((sca\$4 read\$3) adj (parameter\$1 condition\$1 set\$5)) with (memory stor\$3))	US-PGPUB; USPAT; EPO; JPO
3	BRS	0	(scanner and (((sca\$4 read\$3) adj (parameter\$1 condition\$1 set\$5)) with (memory stor\$3))) and ((parameter\$1 set\$4 condition\$1) near3 (table chart)) same (load\$3 adj (inside within))	US-PGPUB; USPAT; EPO; JPO
4	BRS	254	(scanner and (((sca\$4 read\$3) adj (parameter\$1 condition\$1 set\$5)) with (memory stor\$3))) and ((parameter\$1 set\$4 condition\$1) near3 (table chart))	US-PGPUB; USPAT; EPO; JPO
5	BRS	16	((flat adj bed) flatbed shuttle) adj scanner) and (scanner adj controller)	US-PGPUB; USPAT; EPO; JPO
6	BRS	5	"6344906".URPN.	USPAT
7	BRS	3	("4506301" "4760466" "4882631").PN.	USPAT
8	BRS	1	"6344906".pn.	USPAT
9	BRS	4918	scanner and ((sca\$4 read\$3) adj (parameter\$1 condition\$1 set\$5))	US-PGPUB; USPAT; EPO; JPO
10	BRS	0	S9 and (bypass\$3 near5 (default adj set\$4))	US-PGPUB; USPAT; EPO; JPO
11	BRS	0	S9 and (bypass\$3 near5 ((default original) adj set\$4))	US-PGPUB; USPAT; EPO; JPO
12	BRS	0	S9 and (bypass\$3 with ((default original) adj set\$4))	US-PGPUB; USPAT; EPO; JPO
13	BRS	0	S9 and (by adj pass\$3 with ((default original) adj set\$4))	US-PGPUB; USPAT; EPO; JPO
14	BRS	1	"6344906".pn.	US-PGPUB; USPAT; EPO; JPO
15	BRS	2474	((default original) adj set\$4) and scanner	US-PGPUB; USPAT; EPO; JPO

	Type	Hits	Search Text	DBs
16	BRS	32	((chang\$3 bypass\$3 overrid\$3 (over adj rid\$3)) adj ((default original) adj set\$4)) and scanner	US-PGPUB; USPAT; EPO; JPO